



MASL Family Plant Nutrition

Crop-Specific Series

Formulated with targeted nutrients—B Vitamins, Glutathione, Phycocyanin, Polyglutamic Acid, Seaweed Extracts, and other beneficial organic ingredients—
to safeguard crop health and maximize productivity.

摩多生物科技有限公司

Shenyang MASL Biotechnology Co., Ltd



Crop-Specific Series

Field Crop Formula

Leafy Vegetable Formula

Fruit Tree Formula

Root and Tuber Formula

Fruiting Vegetable Formula



Shenyang MASL Biotechnology Co., Ltd



MASL Family Plant Nutrition

Fruit Tree Formula



Shenyang MASL Biotechnology Co., Ltd

Fruit Tree Formula

MASL[®]
—摩多—



Shenyang MASL Biotechnology Co., Ltd

Fruit Tree Formula



Fruit Tree-Bloom

Fruit Tree Flowering Promoter Specialty Fertilizer

Technical Specification:

Amino Acids $\geq 100\text{g/L}$, Cu+Fe+Mn+Zn+B+Mo $\geq 20\text{g/L}$

Ingredient	Concentration
Free Amino Acids	100g/L
Cu	2.5g/L
Zn	2.5g/L
Water-soluble Boron	50g/L
Mo	5g/L
Vitamin B5	0.5g/L

Benefits:

This product uses multiple L- α free amino acids as the core active ingredients, scientifically blended with chelated micronutrients and Vitamin B5. It significantly promotes flower bud differentiation and flowering stage development, accelerates the formation of high-quality flower buds, effectively stimulates pollen tube elongation and pollen germination, balances male/female flower ratio, and strengthens the reproductive growth process. It also helps prevent common issues during flowering like flower and bud drop, and poor flower organ development, while enhancing the tree's resistance to environmental stresses during this critical period. Ultimately leads to a significant improvement in fruit set rate and robust early fruit development, laying a solid foundation for high yield and improved quality.

Applicable crops: fruit trees

Application Instructions:

Foliar Spray: Dilute 800-1000 times. Apply at 7-10 day intervals for 2-3 consecutive applications.

Fertigation/Drip Irrigation: 15-30L/ha

Cautions:

1. Avoid mixing with strongly acidic or alkaline fertilizers and pesticides, as this may affect product efficacy. If mixing with other products is intended, conduct a small-scale compatibility test first.

Fruit Tree Formula



2.Reapplication at a reduced rate may be necessary if rainfall occurs within 4 hours of spraying.

Storage:

- 1.Store and transport in the original container. Keep sealed in a cool, dry place.
- 2.Store separately from food, drink, and feed. Keep out of reach of children and livestock.

Production Date and Lot No.: See bottle cap. Shelf Life: 36 months.