



MASL Family Plant Nutrition

Crop-Specific Series

Formulated with targeted nutrients—B Vitamins, Glutathione, Phycocyanin, Polyglutamic Acid, Seaweed Extracts, and other beneficial organic ingredients—
to safeguard crop health and maximize productivity.

摩多生物科技有限公司

Shenyang MASL Biotechnology Co., Ltd



Crop-Specific Series

Field Crop Formula

Leafy Vegetable Formula

Fruit Tree Formula

Root and Tuber Formula

Fruiting Vegetable Formula



Shenyang MASL Biotechnology Co., Ltd



MASL Family Plant Nutrition

Fruiting Vegetable Formula



Shenyang MASL Biotechnology Co., Ltd

Fruiting Vegetable Formula

MASL[®]
— 摩多 —
NOS CONCENTRAMOS EN ESO



Shenyang MASL Biotechnology Co., Ltd

Fruiting Vegetable Formula



Tomato Vigor

Tomato Early Stage Specialty Fertilizer

Technical Specification:

Amino Acids $\geq 100\text{g/L}$, Ca+Mg $\geq 30\text{g/L}$

| Ingredient | Concentration |
|------------------------|---------------|
| Free Amino Acids | 100g/L |
| Mg | 30g/L |
| Zn | 2.5g/L |
| Water-soluble Boron | 2.5g/L |
| Biological Lactic Acid | 2g/L |

Benefits:

A highly efficient water-soluble fertilizer specially formulated for the early-to-mid stages of tomatoes. Selects high-quality raw materials for scientific compounding, using highly active L- α free amino acids as the core nutritional carrier, synergized with chelated Magnesium, Zinc, water-soluble Boron, and integrated with active substances like Biological Lactic Acid. Free amino acids can significantly improve the nutrient absorption efficiency of tomato roots, aiding early root development and robust stem/leaf growth. Chelated Magnesium and Zinc ensure chlorophyll synthesis, enhance photosynthesis, and reduce leaf yellowing issues. Water-soluble Boron promotes mid-stage flower bud differentiation, improves flower quality, and reduces malformed flowers. Biological Lactic Acid enhances the stress resistance of tomato plants, resisting adverse environmental effects like high/low temperatures in the early stage, laying a solid foundation for later fruit set and high yield.

Applicable Crops: Tomato, Fruit vegetables

Application Instructions:

Foliar Spray: Dilute 800-1000 times. Apply at 7-10 day intervals for 2-3 consecutive applications.

Fertigation/Drip Irrigation: 15-30L/ha

Cautions:

Fruiting Vegetable Formula



1. Avoid mixing with strongly acidic or alkaline fertilizers and pesticides, as this may affect product efficacy. If mixing with other products is intended, conduct a small-scale compatibility test first.
2. Reapplication at a reduced rate may be necessary if rainfall occurs within 4 hours of spraying.

Storage:

1. Store and transport in the original container. Keep sealed in a cool, dry place.
2. Store separately from food, drink, and feed. Keep out of reach of children and livestock.

Production Date and Lot No.: See bottle cap. Shelf Life: 36 months.