



MASL Family Plant Nutrition

Crop-Specific Series

Formulated with targeted nutrients—B Vitamins, Glutathione, Phycocyanin, Polyglutamic Acid, Seaweed Extracts, and other beneficial organic ingredients—
to safeguard crop health and maximize productivity.

摩多生物科技有限公司

Shenyang MASL Biotechnology Co., Ltd



Crop-Specific Series

Field Crop Formula

Leafy Vegetable Formula

Fruit Tree Formula

Root and Tuber Formula

Fruiting Vegetable Formula



Shenyang MASL Biotechnology Co., Ltd



MASL Family Plant Nutrition

Fruiting Vegetable Formula



Shenyang MASL Biotechnology Co., Ltd

Fruiting Vegetable Formula

MASL[®]
— 摩多 —
NOS CONCENTRAMOS EN ESO



Shenyang MASL Biotechnology Co., Ltd

Fruiting Vegetable Formula



VegMax Vigor

Vegetable & Fruit Early Stage Specialty Fertilizer

Technical Specification:

Amino Acids $\geq 100\text{g/L}$, Ca+Mg $\geq 30\text{g/L}$

Ingredient	Concentration
Free Amino Acids	100g/L
Mg	30g/L
Zn	2.5g/L
Water-soluble Boron	2.5g/L
Vitamin B1	1g/L

Benefits:

Specifically developed for the early-to-mid growth stages of vegetable and fruit crops. Uses highly active L- α free amino acids as the core carrier, synergized with highly efficient chelated Magnesium, Zinc, Boron, and the active factor Vitamin B1, precisely meeting the unique needs for robust seedling development and efficient nutrient accumulation. Strongly activates plant energy metabolism and root expansion potential through amino acids, driving robust stem/leaf differentiation and early growth vigor. Chelated Zinc and Boron target and optimize the cell division efficiency of meristematic tissues, ensuring uniform plant growth and rapid expansion of the root network. Magnesium simultaneously enhances leaf chlorophyll synthesis capacity and photosynthetic efficiency. Vitamin B1 deeply strengthens stress resistance signaling, significantly alleviating stress from low temperature, drought, and soil-borne diseases, maintaining sustained, healthy plant growth potential. Ultimately lays the foundation for uniform fruit development and excellent skin texture for high quality and yield, providing core assurance for a bountiful harvest.

Applicable Crops: Fruit vegetables and leafy vegetables

Application Instructions:

Foliar Spray: Dilute 800-1000 times. Apply at 7-10 day intervals for 2-3 consecutive applications.

Fertigation/Drip Irrigation: 15-30L/ha

Fruiting Vegetable Formula



Cautions:

1. Avoid mixing with strongly acidic or alkaline fertilizers and pesticides, as this may affect product efficacy. If mixing with other products is intended, conduct a small-scale compatibility test first.
2. Reapplication at a reduced rate may be necessary if rainfall occurs within 4 hours of spraying.

Storage:

1. Store and transport in the original container. Keep sealed in a cool, dry place.
2. Store separately from food, drink, and feed. Keep out of reach of children and livestock.

Production Date and Lot No.: See bottle cap. Shelf Life: 36 months.