



MASL Family Plant Nutrition

Crop-Specific Series

Formulated with targeted nutrients—B Vitamins, Glutathione, Phycocyanin, Polyglutamic Acid, Seaweed Extracts, and other beneficial organic ingredients—
to safeguard crop health and maximize productivity.

摩多生物科技有限公司

Shenyang MASL Biotechnology Co., Ltd



Crop-Specific Series

Field Crop Formula

Leafy Vegetable Formula

Fruit Tree Formula

Root and Tuber Formula

Fruiting Vegetable Formula



Shenyang MASL Biotechnology Co., Ltd



MASL Family Plant Nutrition

Fruiting Vegetable Formula



Shenyang MASL Biotechnology Co., Ltd

Fruiting Vegetable Formula

MASL[®]
— 摩多 —
NOS CONCENTRAMOS EN ESO



Shenyang MASL Biotechnology Co., Ltd

Fruiting Vegetable Formula



VegMax Nutri

Vegetable & Fruit Specialty Fertilizer

Technical Specification:

Amino Acids $\geq 100\text{g/L}$, Cu+Fe+Mn+Zn+B+Mo $\geq 20\text{g/L}$

Ingredient	Concentration
Free Amino Acids	100g/L
Mg	30g/L
Fe	5g/L
Mn	2.5g/L
Cu	2.5g/L
Zn	10g/L
Water-soluble Boron	1g/L
Vitamin B6	0.5g/L

Benefits:

Specifically formulated for the entire growth cycle of vegetable and fruit crops. Integrates highly active L- α free amino acids, precisely chelated secondary/micronutrients, and plant physiological active factors to create an efficient nutrition program. The core component, highly active L- α free amino acids, can be directly absorbed by leaves and roots, enhancing nutrient uptake efficiency. Chelated Mg, Fe, Mn, Cu, and Zn work synergistically to significantly improve chlorophyll synthesis and photosynthetic efficiency, ensuring energy accumulation. The unique formula stimulates endogenous hormone balance in crops, promoting flower bud differentiation and improving fruit set rate during flowering, and optimizing directional nutrient transport during fruit expansion, significantly improving fruit shape, skin smoothness, and color brightness, effectively avoiding common issues like fruit cracking and malformation. Simultaneously strengthens cell membrane stability and antioxidant capacity, enhancing tolerance to environmental stresses such as drought, high temperature, and salinity, reducing physiological disorders.

Fruiting Vegetable Formula



Ultimately works synergistically to increase fruit brix, flavor compound accumulation, and nutritional quality, achieving breakthroughs in both yield and marketability.

Applicable Crops: Fruit vegetables and leafy vegetables

Application Instructions:

Foliar Spray: Dilute 800-1000 times. Apply at 7-10 day intervals for 2-3 consecutive applications.

Fertigation/Drip Irrigation: 15-30L/ha

Cautions:

1. Avoid mixing with strongly acidic or alkaline fertilizers and pesticides, as this may affect product efficacy. If mixing with other products is intended, conduct a small-scale compatibility test first.
2. Reapplication at a reduced rate may be necessary if rainfall occurs within 4 hours of spraying.

Storage:

1. Store and transport in the original container. Keep sealed in a cool, dry place.
2. Store separately from food, drink, and feed. Keep out of reach of children and livestock.

Production Date and Lot No.: See bottle cap. Shelf Life: 36 months.